









ALFA ROMEO AA-0080-00



MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	130 mm / PV6	12V
OE REF.	60814101-60815796-60816191 46539396-46775094	
APPLICATION	Alfa Romeo 156-166 2.4 JTD/ Kappa 2.0i/2.4i 20V-2.0 Turbo Lybra 2.4 JTD Thesis 2.0 TB	
	C5 / 2.4 JTD	
OIL	PAG 46	





AUDI	AA-0013-0	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	120 mm / PV4	12V
OE REF.		
APPLICATION	AUDI A4 1.6-A6 1.8 dal telaio 8D-5-000001 a 8D-X-075712 VW Passat V1.6/1.8/1.9 Td	
OIL	PAG 46	





AUDI	AA-0044-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	120 mm / PV6	12V
OE REF.	4D0260805B	
APPLICATION	AUDI A4, A6, A8	
OIL	PAG 46	





AUDI	AA-0045-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	120 mm / PV4	12V
OE REF.	4D0260805C	
APPLICATION	AUDI A4, A6 VW Passat	
OIL	PAG 46	





BMW	AA-0015-0	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	110 mm / PV5	12V
OE REF.		
APPLICATION	BMW Sr5 E39-5.20/5.23/5.25/ 5.28/5.30 ! Sr7 E38 7.28i>09/97	
OIL	PAG 46	





BMW	AA-0051-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	120 mm / PV4	12V
OE REF.	64528363275	
APPLICATION	BMW Sr5 E39-5.25 Tds>09/97 BMW 5 (E39) / 7 (E38)	
OIL	PAG 46	





BMW	AA-0077-00	
MODEL	7SBU	
DISPLACEMENT	161 cc Max	
CLUTCH	110 mm / PV5	12V
OE REF.	6452 6910458-6452 6911340- 6452 8377241-6452 8379924- 6452 8385922-6452 6904014/ 6452 6910459-6452 6911341- 6452 8386451-6452 6904018	
APPLICATION	Sr5 E39 09/97>! Sr7 E38 7.28i 09/97> Sr5 E39 3.0d 98>00 ! Sr7 E38 3.0d 98>00	
OIL	PAG	





BMW	AA-0070-00	
MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	121.4 mm / PV4	12V
OE REF.	6452 6914 369	
APPLICATION	525td/tds (E38) 01.96-09.097; 725tds (E38) 04.96-09.97	
OIL	PAG 46	

A
A
COMPRESSORB
A
CONDENSERC
A
EVAPORATORD
A
RECEIVED DRIERE
A
EXPANSION VALVEF
A
CABIN FILTERG
A
MOTORH
A
HOSESI
A
THERMOSTATJ
A
BLOWERK
A
AC / DC FANL
A
REFRIGERANT GASM
A
FITTINGN
A
FERRULEO
A
ACCESSORIES



BMW	AA-0081-00	
MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	110 mm / PV4	12V
OE REF.	6452 6910460-6452 6911342- 6452 8377244-6452 8381233- 6452 6904015	
APPLICATION	BMW Sr5 E39 ! Sr7 E38 3.5/4.4	
OIL	PAG 46	





BMW	AA-0054-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc	
CLUTCH	110 mm / PV5	12V
OE REF.		
APPLICATION	X3 (E83), X5(E53)	
OIL	PAG 46	





BMW	AA-0069-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	111.4 mm / PV5	12V
OE REF.	6452 8385 915	
APPLICATION	320i - 328i (E36) 09.90-08.00, 520i, 525i (E34) 01.88-01.97 BMW 3 (E36)/5(E34)/7(E32) Sr3 - 3.20i/3.25i > 02/91	
OIL	PAG	





BMW	AA-0097-00	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	111.4 mm / PV5	12V
OE REF.	6451 8385 917/7401697	
APPLICATION	BMW 7 (E38) 6452 8385 917/ 7401697	
OIL	PAG	





BMW	AA-0098-00	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	120 mm / PV4	12V
OE REF.		
APPLICATION	BMW 3 (E36)	
OIL	PAG	




BMW AA-0101-00	
MODEL	SP17 R134a
DISPLACEMENT	178 cc
CLUTCH	120 mm / PV5+PV3 12V
OE REF.	
APPLICATION	BMW8 (E31)
OIL	PAG




BMW AA-0102-00	
MODEL	SP17 R134a
DISPLACEMENT	178 cc
CLUTCH	111.4 mm / PV5 12V
OE REF.	
APPLICATION	BMW Sr5 E34-5.30i/5.35i/5.40i >96 !Sr7 E32 7.30i/7.40i 92 > 93 !Sr8 E31 8.30Ci/8.40Ci > 96
OIL	PAG




BMW AA-0105-00	
MODEL	SP17 R134a
DISPLACEMENT	178 cc
CLUTCH	120 mm / PV4 12V
OE REF.	6452 8391135 - 6452 8385914
APPLICATION	BMW Sr3 E36 - 3.25i 90>95 /3.25td 91>98 !Sr3 E36 - 3.28i 01/95>02/98 !Sr5 E34 - 5.25 Td/Tds
OIL	PAG




CHEVROLET	AA-0138-00	
MODEL	HT6	R134a
DISPLACEMENT	178 cc	
CLUTCH	126 mm / PV6	12V
OE REF.		
APPLICATION	S10BLAZER 1996, 1997, 1998	
	S10PICKUP 1996, 1997, 1998	
	S15JIMMY 1996, 1997, 1998	
	ESCALADE 1999, 2000	
	BRAVADA 1996, 1997, 1998	
	HOMBRE 1997, 1998	
OIL	PAG	




CHRYSLER	AA-0106-00	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	142 mm / A	12V
OE REF.		
APPLICATION	NEON 1995, 1996, 1997, 1998, 1999	
	300M 1999, 2000, 2001	
	LEBARON 1991, 1992, 1993, 1994, 1995	
	ACCLAIM 1991, 1992, 1993, 1994, 1995	
	SPIRIT 1991, 1992, 1993, 1994, 1995	
OIL	PAG	




CHRYSLER	AA-0107-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	136 mm / PV6	12V
OE REF.		
APPLICATION	INTREPID 1998, 1999, 2000, 2001	
	CONCORDE 1998, 1999, 2000, 2001	
OIL	PAG	




CHRYSLER	AA-0108-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	133 mm / A	12V
OE REF.		
APPLICATION	TOWN & COU 1996	
OIL	PAG	




CHRYSLER	AA-0107-01	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	130 mm / PV6	12V
OE REF.		
APPLICATION	INTREPID 1998, 1999, 2000, 2001	
	CONCORDE 1998, 1999, 2000, 2001	
OIL	PAG	




CHRYSLER	AA-0106-01	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	142 mm / A	12V
OE REF.		
APPLICATION	NEON 1995, 1996, 1997, 1998 1999	
	300M 1999, 2000, 2001	
	LEBARON 1991, 1992, 1993, 1994, 1995	
	ACCLAIM 1991, 1992, 1993, 1994, 1995	
	SPIRIT 1991, 1992, 1993, 1994, 1995	
OIL	PAG	




CHRYSLER	AA-0108-01	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	133 mm / A1	12V
OE REF.		
APPLICATION	TOWN & COU 1996	
OIL	PAG	




CHRYSLER	AA-0106-02	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	142 mm / A	12V
OE REF.		
APPLICATION	NEON 1995, 1996, 1997, 1998 1999	
	300M 1999, 2000, 2001	
	LEBARON 1991, 1992, 1993, 1994, 1995	
	ACCLAIM 1991, 1992, 1993, 1994, 1995	
	SPIRIT 1991, 1992, 1993, 1994, 1995	
OIL	PAG	




CHRYSLER AA-0106-03	
MODEL	SP17 R134a
DISPLACEMENT	178 cc
CLUTCH	142 mm / A 12V
OE REF.	
APPLICATION	NEON 1995, 1996, 1997, 1998, 1999
	300M 1999, 2000, 2001
	LEBARON 1991, 1992, 1993, 1994, 1995
	ACCLAIM 1991, 1992, 1993, 1994, 1995
	SPIRIT 1991, 1992, 1993, 1994, 1995
OIL	PAG



CHRYSLER AA-0125-00	
MODEL	10PA17C R134a
DISPLACEMENT	178 cc
CLUTCH	120 mm / PV6 12V
OE REF.	
APPLICATION	TOWN & COUNTRY 1997, 1998, 1999, 2000
OIL	PAG



CHRYSLER AA-0095-00	
MODEL	SP17 R134a
DISPLACEMENT	178 cc
CLUTCH	120 mm / PV6 12V
OE REF.	
APPLICATION	CHRYSLER VOYAGER II
OIL	PAG



CHRYSLER AA-0110-00	
MODEL	10PA17C R134a
DISPLACEMENT	178 cc
CLUTCH	146 mm / A 12V
OE REF.	
APPLICATION	TOWN & COUNTRY 1994, 1995
OIL	PAG

A
A
COMPRESSOR

B
A
CONDENSER

C
A
EVAPORATOR

D
A
RECEIVER DRIER

E
A
EXPANSION VALVE

F
A
CABIN FILTER

G
A
MOTOR

H
A
HOSES

I
A
THERMOSTAT

J
A
BLOWER


K
A
AC / DC FAN

L
A
REFRIGERANT GAS


M
A
FITTING

N
A
FERRULE


O
A
ACCESSORIES




CHRYSLER	AA-0006-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	130 mm / PV4	12V
	* WITH HPRV 3/8-24	
OE REF.		
APPLICATION	Chrysler Neon '00-02	
OIL	PAG 46	




CHRYSLER	AA-0007-0	
MODEL	10S20C	R134a
DISPLACEMENT	200 cc	
CLUTCH	133.9mm / PV6	12V
OE REF.		
APPLICATION	Chrysler Caravan '01-05 Voyager 2.4L Gas '01-05	
OIL	PAG 46	




CHRYSLER	AA-0008-0	
MODEL	10S20C	R134a
DISPLACEMENT	200 cc	
CLUTCH	130 mm / PV6	12V
OE REF.		
APPLICATION	Chrysler Caravan '01-05 Voyager 2.4L Gas '01-05	
OIL	PAG 46	




DAEWOO	AA-0159-00	
MODEL	V5	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	135 mm / V	12V
OE REF.	9639 4569-9629 1294	
APPLICATION	DAEWOO CHEVROLET LANOS II	
OIL	PAG	



DAEWOO	AA-0161-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	126 mm / PV6	12V
OE REF.	7402069	
APPLICATION	Daewoo Nubira - Leganza 2.0 OPEL Astra F - Calibra A - Vectra A 2.0	
OIL	PAG	



DAEWOO	AA-0163-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	135 mm / V	12V
OE REF.	9625 5980 - 9624 5943	
APPLICATION	DAEWOO LANOS	
OIL	PAG	



DAEWOO	AA-0043-00	
MODEL	Delphi V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	119 mm / PV6	12V
OE REF.		
APPLICATION	Russia Sens	
OIL		



PICTURE
UNAVAILABLE

DAEWOO	AA-0003-0	
MODEL	Delphi V5	R134a
DISPLACEMENT	160 cc	
CLUTCH	125 mm / A1	12V
OE REF.		
APPLICATION	Russia Daewoo Lanos	
OIL		



A	COMPRESSOR
B	CONDENSER
C	EVAPORATOR
D	RECEIVER DRIER
E	EXPANSION VALVE
F	CABIN FILTER
G	MOTOR
H	HOSES
I	THERMOSTAT
J	BLOWER
K	AC / DC FAN
L	REFRIGERANT GAS
M	FITTING
N	FERRULE
O	ACCESSORIES

PICTURE
UNAVAILABLE



DAEWOO	AA-0017-0	
MODEL	Delphi V5	R134a
DISPLACEMENT		
CLUTCH		
OE REF.		
APPLICATION	Lanos V5	
OIL		





FIAT	AA-0160-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	119 mm / PV6	12V
OE REF.	5519 2057 - 4652 5369	
APPLICATION	FIAT Bravo/a Marea !Multipla 1.6 16V LANCIA Lybra 1.6 16V	
OIL	PAG	





FIAT	AA-0165-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	119.29 mm / PV4	12V
OE REF.		
APPLICATION	FIAT MAREA	
OIL	PAG	





FORD	AA-0139-00	
MODEL	FS10	R134a
DISPLACEMENT	154cc	
CLUTCH	126mm / PV6	12V
OE REF.	94AW19D629AV - AC/96AW19D629CA CB R94AW19D629AA - AB - R96AW19629CA CB RXS4H19629HA - XS4H19D629HA	
APPLICATION	FORD ESCORT VI ESCORT V 1.4/1.6/1.8/2.0 IESCORT VII 1.3/1.4/1.6/1.8/2.0 IESCORT VIII 1.3/1.4/1.6/1.8/2.0	
OIL		





FORD	AA-0143-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	127 mm / PV7	12V
OE REF.		
APPLICATION	TRANSIT	
OIL	PAG	





FORD	AA-0140-00	
MODEL	FS10	R134a
DISPLACEMENT	154 cc	
CLUTCH	135 mm / PV6	12V
OE REF.	96FW19D629BA - BB - BC 97FW19D629AA R96FW19D629BA - BB - BC R97FW19D629AA	
APPLICATION	FORD Fiesta IV 1.25/1.4/1.6 !lkon 1.6 !Puma 1.6	
OIL	PAG	





FORD	AA-0146-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	145 mm / PV6	12V
OE REF.		
APPLICATION	MONDEO II	
OIL	PAG	





FORD	AA-0147-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	145 mm / PV6	12V
OE REF.	7403531	
APPLICATION	GALAXY/TRANSIT	
OIL	PAG	




FORD	AA-0141-00	
MODEL	FS10	R134a
DISPLACEMENT	154 cc	
CLUTCH	127.4 mm / PV6	12V
OE REF.		
APPLICATION	Cougar 2.5 !Mondeo I/II 2.5 - Mondeo III 2.0 D !Transit VI 2.0 D	
OIL	PAG	




FORD	AA-0148-00	
MODEL	FS10	R134a
DISPLACEMENT	154cc	
CLUTCH	125.3mm / PV5	12V
OE REF.	7403530 94AW19D629CA - CB - CC - 96AW19D629DA 97AW19D629DA - DB - R94AW19D629CA - CB - CC R96AW19D629DA / R97AW19G629DA -DB RXS4H19D929JA - XS4H19D629JA	
APPLICATION	Escort V 1.8 TD - Escort VI 1.8 TD !Escort VII 1.8 TD - Escort VIII 1.8 TD	
OIL	PAG	




FORD	AA-0150-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	145 mm / PV6	12V
OE REF.		
APPLICATION	TRANSIT	
OIL	PAG	




FORD	AA-0154-00	
MODEL	FS10	R134a
DISPLACEMENT	170cc	
CLUTCH	125.3mm / PV5	12V
OE REF.	93BW19D629EA - EB / 94BW19D629CA - CB	
	96BW19D629CA / R94BW19D629CB - CA	
	R9719D629CA - CB / RXS7H19D629CA	
	XS7H19D629CA	
APPLICATION	Mondeo I/II TD	
OIL	PAG	





FORD	AA-0156-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	143 mm / PV6	12V
OE REF.		
APPLICATION	KA	
OIL	PAG	





FORD	AA-0142-00	
MODEL	FS10	R134a
DISPLACEMENT	154 cc	
CLUTCH	113.4 mm / PV6	12V
OE REF.		
APPLICATION	SCORPIO II	
OIL	PAG	



FORD	AA-0157-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	126 mm / PV6	12V
OE REF.		
APPLICATION	MONDEO II	
OIL	PAG	




FORD	AA-0152-00	
MODEL	FS10	R134a
DISPLACEMENT	154 cc	
CLUTCH	143 mm / PV6	12V
OE REF.	96FW19D629AB - AC - AD - AE !R96FW19D629AC - AD - AE 1E03614500 - 1E0361450A	
APPLICATION	Ford Fiesta IV 1.3 !lkon 1.3 !Ka 1.0/1.3 Mazda 121 1.3	
OIL	PAG	




FORD	AA-0074-00	
MODEL	FS10	R134a
DISPLACEMENT	170 cc	
CLUTCH	127.4 mm / PV6	12V
OE REF.		
APPLICATION	FORD ESCAPE 3.0 MAZDA TRIBUTE 3.0	
OIL	PAG	


COMPRESSORS




GM	AA-0005-0	
MODEL	10S17F	R134a
DISPLACEMENT	170 cc	
CLUTCH	110 mm / PV4	12V
	* W/O SWITCH PORT	
OE REF.		
APPLICATION	GMT800 Platform Chevy / GM Truck, Tahoe, Avalanche, Yukon, Escalade '04-07	
OIL	PAG 46	




GM	AA-0022-0	
MODEL	10S17F	R134a
DISPLACEMENT	170 cc	
CLUTCH	110 mm / PV4	12V
	* WITH SWITCH PORT	
OE REF.		
APPLICATION	GMT800 Platform '00-03: Chevy / GM Truck, Tahoe, Avalanche, Yukon, Escalade	
OIL	PAG 46	




GM	AA-0023-0	
MODEL	10S17F	R134a
DISPLACEMENT	170 cc	
CLUTCH	110 mm / PV6	12V
OE REF.		
APPLICATION	GMT800 Platform '00-03: Chevy / GM Truck, Tahoe, Avalanche, Yukon, Escalade	
OIL	PAG 46	




GM	AA-0027-0	
MODEL	10S20F	R134a
DISPLACEMENT	200 cc	
CLUTCH	110 mm / PV4	12V
	* WITH SWITCH PORT	
OE REF.		
APPLICATION	GMT800 Platform '00-03: Chevy / GM Truck, Tahoe, Avalanche, Yukon, Escalade	
OIL	PAG 46	




HONDA	AA-0009-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	130 mm / PV7	12V
OE REF.		
APPLICATION	Honda Accord 2.4L '03-05	
OIL	PAG 46	




HONDA	AA-0011-0	
MODEL	10S20C	R134a
DISPLACEMENT	200 cc	
CLUTCH	135mm / PV6	12V
OE REF.		
APPLICATION	Honda Odyssey '99-04 Honda Pilot '03-05	
OIL	PAG 46	





HONDA	AA-0016-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	120 mm / PV7	12V
OE REF.	447220-8161 (Stream)	
APPLICATION	Honda Stream 1.7-2.0L '00-07 Honda CRV '02-07 - To be fitted with adaptor	
OIL	PAG 46	





HONDA	AA-0067-00	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	130mm / PV6	12V
OE REF.		
APPLICATION	Honda Accord 3L '04-07	
OIL	PAG 46	





HONDA	AA-0068-00	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	125mm / PV6	12V
OE REF.		
APPLICATION	Honda Accord 3L '03-04	
OIL	PAG 46	

A
A
COMPRESSORB
A
CONDENSERC
A
EVAPORATORD
A
RECEIVER DRIERE
A
EXPANSION VALVEF
A
CABIN FILTERG
A
MOTORH
A
HOSESI
A
THERMOSTATJ
A
BLOWERK
A
AC / DC FANL
A
REFRIGERANT GASM
A
FITTINGN
A
FERRULEO
A
ACCESSORIES



HONDA	AA-0084-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3cc	
CLUTCH	135mm / PV4	12V
OE REF.		
APPLICATION	INTEGRA 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, NSX 1993, 1994, 1995, 1996, 1997, 1998, 1999	
OIL	PAG	





HONDA	AA-0111-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178cc	
CLUTCH	135mm / PV	12V
OE REF.		
APPLICATION	ACCORD 1990, 1991, 1992, 1993	
OIL	PAG	





HONDA	AA-0111-01	
MODEL	10PA17C	R134a
DISPLACEMENT	178cc	
CLUTCH	135mm / PV	12V
OE REF.		
APPLICATION	ACCORD 1990, 1991, 1992, 1993	
OIL	PAG	





HONDA	AA-0134-00	
MODEL	10PA20C	R134a
DISPLACEMENT	207cc	
CLUTCH	146mm / PV5	12V
OE REF.		
APPLICATION	LEGEND 1991, 1992, 1993, 1994, 1995, RL 1996, 1997, 1998, 1999, 2000, 2001, TL 1996, 1997, 1998	
OIL	PAG	



HONDA	AA-0123-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178cc	
CLUTCH	160mm / PV6	12V
OE REF.		
APPLICATION	ACCORD 1995, 1996, 1997, 1998, 1999, 2000, 2001, ODYSSEY 1995, 1996, 1997, 1998, CL 1997, 1998, 1999	
OIL	PAG	




HONDA	AA-0126-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	125 mm / PV6	12V
OE REF.		
APPLICATION	ACCORD 1998, 1999, 2000, 2001	
	CL 1997, 1998, 1999	
OIL	PAG	




HONDA	AA-0094-00	
MODEL	ACESC110	R134a
DISPLACEMENT	cc	
CLUTCH	110 mm / PV7	V
OE REF.		
APPLICATION	HONDA CRV '02-'06	
OIL	PAG	

Picture Unavailable



HONDA	AA-0012-0	
MODEL	10S20C	R134a
DISPLACEMENT	cc	
CLUTCH	mm / PV6	V
OE REF.		
APPLICATION	2003-2006 ACURA MDX	
	2005-2006 HONDA ODYSSEY	
OIL	PAG	





IVECO	AA-0103-00	
MODEL	SP17	R134a
DISPLACEMENT	178cc	
CLUTCH	110mm / PV4	24V
OE REF.	9948 8569	
APPLICATION	Stralis AS 260S54/PS/440 S 40 T/P 02/02	
	!EuroStar LD 190 E 39 P 11/99 > 02/02	
	!EuroStar LD 260 E 39 P 11/99 > 02/02	
OIL	PAG	





IVECO	AA-0104-00	
MODEL	SP17	R134a
DISPLACEMENT	178cc	
CLUTCH	120mm / PV4	24V
OE REF.	9849 7470	
APPLICATION	EuroTech MH MH 190 E 24 09/98	
	!EuroTech MH MH 260 E 24 Y/P 11/99	
	!EuroTech MH MH 400 E 31 TP	
	!EuroTech MP 190 E 43 01/01	
OIL	PAG	





JEEP	AA-0113-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	136 mm / PV7	12V
OE REF.		
APPLICATION	GRANDCHEROKEE 1993, 1994, 1995, 1996, 1997, 1998	
OIL	PAG	



JEEP	AA-0113-01	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	136 mm / PV6	12V
OE REF.		
APPLICATION	GRANDCHEROKEE 1993, 1994, 1995, 1996, 1997, 1998	
OIL	PAG	




JEEP	AA-0128-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	133 mm / A1	12V
OE REF.		
APPLICATION	GRANDCHEROKEE 1993, 1994, 1995, 1996, 1997, 1998 GRANDWAGONEER 1993	
OIL	PAG	




JEEP	AA-0122-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	130 mm / PV6	12V
OE REF.		
APPLICATION	GRANDCHEROKEE 1993, 1994, 1995, 1996, 1997, 1998	
OIL	PAG	

A	COMPRESSOR
B	CONDENSER
C	EVAPORATOR
D	RECEIVER DRIER
E	EXPANSION VALVE
F	CABIN FILTER
G	MOTOR
H	HOSES
I	THERMOSTAT
J	BLOWER
K	AC / DC FAN
L	REFRIGERANT GAS
M	FITTING
N	FERRULE
O	ACCESSORIES



JOHN DEERE AA-0073-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178cc	
CLUTCH	140mm / PV8	12V
OE REF.		
APPLICATION	JOHN DEERE	
OIL	PAG	



LAND ROVER AA-0082-00

MODEL	7SBU	R134a
DISPLACEMENT	161cc Max	
CLUTCH	120mm / PV5	12V
OE REF.	JPB101460	
APPLICATION	LAND ROVER FREELANDER 2.0 TD4 11/00>	
	ROVER 75 1.950 TD 99>	
OIL	PAG46	

A
A
COMPRESSOR

B
A
CONDENSER

C
A
EVAPORATOR

D
A
RECEIVER DRIER

E
A
EXPANSION VALVE

F
A
CABIN FILTER

G
A
MOTOR

H
A
HOSES

I
A
THERMOSTAT

J
A
BLOWER


K
A
AC / DC FAN

L
A
REFRIGERANT GAS



M
A
FITTING

N
A
FERRULE

O
A
ACCESSORIES



LEXUS	AA-0010-0	
MODEL	10S17F	R134a
DISPLACEMENT	170 cc	
CLUTCH	PV4	12V
OE REF.	88310 33160 (ES300) / 88310 48011 (RX300)	
APPLICATION	Lexus ES300 '99-02 Lexus RX300 '99-02	
OIL	PAG 46	



MAZDA	AA-0109-00	
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	133 mm / A	12V
OE REF.		
APPLICATION	MPV 1989, 1990, 1991, 1992, 1993, 1994, 1995	
OIL	PAG	

A
A
COMPRESSOR

B
A
CONDENSER

C
A
EVAPORATOR

D
A
RECEIVER DRIER

E
A
EXPANSION VALVE

F
A
CABIN FILTER

G
A
MOTOR

H
A
HOSES

I
A
THERMOSTAT

J
A
BLOWER


K
A
AC / DC FAN

L
A
REFRIGERANT GAS


M
A
FITTING

N
A
FERRULE


O
A
ACCESSORIES




MERCEDES BENZ AA-0014-0		
MODEL	7SBU16C	R134a
DISPLACEMENT	161cc Max	
CLUTCH	120mm / PV6	12V
OE REF.		
APPLICATION	C-Class: W202 C180/200/220/230/240/ 250/280 CLK 200/230/320 E-Class: W210 E200/220/230/240/280 E290/300/320/420/430 M-Class: W163 230/320 Van-Vito VSA638 Sprinter W901	
OIL	PAG46	



MERCEDES BENZ AA-0079-00		
MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	130 mm / PV9	24V
OE REF.		
APPLICATION	MB ACTROS 9PV	
OIL	PAG46	




MERCEDES BENZ AA-0079-01		
MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	130 mm / PV9	24V
OE REF.		
APPLICATION	MB ACTROS 9PV with dust cover	
OIL	PAG	




MERCEDES BENZ AA-0079-02		
MODEL	7SBU	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	130 mm / PV11	24V
OE REF.		
APPLICATION	MB ACTROS 11PV, Connector not fixed	
OIL	PAG46	

DISCHARGE PORT



SUCTION PORT



MERCEDES BENZ AA-0065-00

MODEL	7SBU16C	R134a
DISPLACEMENT	160 cc	
CLUTCH	130 mm / PV11	24V
OE REF.	541 230 1311	
APPLICATION	MB ACTROS 11PV, Connector fixed on the front body	
OIL	PAG 46	

A
A
COMPRESSOR

B
A
CONDENSER

C
A
EVAPORATOR

D
A
RECEIVER DRIER

E
A
EXPANSION VALVE

F
A
CABIN FILTER

G
A
MOTOR

H
A
HOSES

I
A
THERMOSTAT

J
A
BLOWER

K
A
AC / DC FAN

L
A
REFRIGERANT GAS

M
A
FITTING

N
A
FERRULE

O
A
ACCESSORIES

M
A
FITTING

N
A
FERRULE

O
A
ACCESSORIES

O
A
ACCESSORIES

O
A
ACCESSORIES

O
A
ACCESSORIES

MERCEDES BENZ AA-0075-00

MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	129 mm / PV9	24V
OE REF.		
APPLICATION	MB ACTROS 9PV	
OIL	PAG 46	

MERCEDES BENZ AA-0075-01

MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	129 mm / PV11	24V
OE REF.		
APPLICATION	MB ACTROS 11PV	
OIL	PAG 46	

J
A
BLOWER

K
A
AC / DC FAN

L
A
REFRIGERANT GAS

M
A
FITTING

N
A
FERRULE

O
A
ACCESSORIES


O
A
ACCESSORIES

O
A
ACCESSORIES


O
A
ACCESSORIES

O
A
ACCESSORIES


O
A
ACCESSORIES





MITSUBISHI AA-0085-00	
MODEL	10PA15C R134a
DISPLACEMENT	155.3cc
CLUTCH	140mm / A1 12V
OE REF.	
APPLICATION	PICKUP 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995 / T100 1993, 1994 / MONTERO 1989, 1990, 1991 RAIDER 1989
OIL	PAG





MITSUBISHI AA-0115-00	
MODEL	R134a
DISPLACEMENT	102 cc
CLUTCH	95 mm / PV6 12V
OE REF.	
APPLICATION	Mitsubishi Lancer '03 6PK 102mm
OIL	PAG 100





MITSUBISHI AA-0115-01	
MODEL	R134a
DISPLACEMENT	86 cc
CLUTCH	95 mm / PV5 12V
OE REF.	
APPLICATION	Mitsubishi Lancer '03 5PK 102mm
OIL	PAG 100





NEW HOLLAND AA-0099-00		
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	110 mm / PV4	12V
OE REF.	500341617	
APPLICATION	NEW HOLLAND CURSOR 8, NEW HOLLAND 500341617	
OIL	PAG	





NEW HOLLAND AA-0100-00		
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	120 mm / PV4	12V
OE REF.	500391499	
APPLICATION	NEW HOLLAND CURSOR 10/ 13, NEW HOLLAND 500391499	
OIL	PAG	





OPEL	AA-0046-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161cc Max	
CLUTCH	127mm / PV4	12V
OE REF.	1854084	
APPLICATION	OPEL OMEGA B 2.5TD	
OIL	PAG	





OPEL	AA-0047-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161cc Max	
CLUTCH	110mm / PV5	12V
OE REF.	6854000	
APPLICATION	OPEL ZAFIRA	
OIL	PAG46	





OPEL	AA-0048-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161cc Max	
CLUTCH	120mm / PV6	12V
OE REF.	1854066	
APPLICATION	OPEL VECTRA B	
OIL	PAG46	





OPEL	AA-0071-00	
MODEL	V5	R134a
DISPLACEMENT	151cc Max	
CLUTCH	119.29mm / PV6	12V
OE REF.	1854144	
APPLICATION	VECTRA B 1.6-2.2, 2.0DI - 2.2 DTI 10.95 - 04.02; FONTERA B 2.2 DTI 10.98 - 09.02	
OIL	PAG46	





OPEL	AA-0072-00	
MODEL	7SBU	R134a
DISPLACEMENT	161cc Max	
CLUTCH	110 mm / PV6	12V
OE REF.	24430319 - 6854001 - 9122120	
APPLICATION	VECTRA B 2.5 IZAFIRA 2.0 TD / TDI 24430319 - 6854001 - 9122120 VAUXHALL	
OIL	PAG46	





OPEL	AA-0158-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	125.7 mm / PV6	12V
OE REF.	7402070	
APPLICATION	OPEL VAUXHALL CORSA / TIGRA	
OIL	PAG	





OPEL	AA-0162-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	126 mm / PV6	12V
OE REF.	7402081	
APPLICATION	OPEL VAUXHALL	
OIL	PAG	



OPEL	AA-0164-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	119 mm / PV6	12V
OE REF.	1854091 - 1135324	
APPLICATION	OPEL VECTRA B 2.0 TD	
OIL	PAG	



OPEL	AA-0166-00	
MODEL	V5	R134a
DISPLACEMENT	130 cc Max	
CLUTCH	125.7 mm / PV6	12V
OE REF.	1854032 - 1854094 - 1854105 1135025 - 1135295 - 1135323	
APPLICATION	OPEL CORSA B - COMBO !TIGRA 1.4/1.6 16V	
OIL	PAG	



OPEL	AA-0167-00	
MODEL	V5	R134a
DISPLACEMENT	151 cc Max	
CLUTCH	135 mm / A1	12V
OE REF.	1854032 - 1854094 - 1854105 1135025 - 1135295 - 1135324	
APPLICATION	OPEL CORSA B - COMBO !TIGRA 1.4/1.6 17V	
OIL	PAG	

ROVER

COMPRESSORS

A
A
COMPRESSOR

B
A
CONDENSER

C
A
EVAPORATOR

D
A
RECEIVER DRIER

E
A
EXPANSION VALVE

F
A
CABIN FILTER

G
A
MOTOR

H
A
HOSES

I
A
THERMOSTAT

J
A
BLOWER


K
A
AC / DC FAN

L
A
REFRIGERANT GAS


M
A
FITTING

N
A
FERRULE


O
A
ACCESSORIES





ROVER	AA-0050-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161cc Max	
CLUTCH	120mm / PV6	12V
OE REF.	JPB000040	
APPLICATION	ROVER - 45 (RT) - 2.0 V6, ROVER - 45 SALOON (RT) - 2.0 V6	
OIL	PAG	




ROVER	AA-0082-00	
MODEL	7SBU	R134a
DISPLACEMENT	161cc Max	
CLUTCH	120mm / PV5	12V
OE REF.	JPB101460	
APPLICATION	LAND ROVER FREELANDER 2.0 TD4 11/00> ROVER 75 1.950 TD 99>	
OIL	PAG46	




SAAB	AA-0049-00	
MODEL	7SBU16C	R134a
DISPLACEMENT	161 cc Max	
CLUTCH	120 mm / PV6	12V
OE REF.	5048095	
APPLICATION	SAAB 9.5	
OIL	PAG46	




SUZUKI	AA-0020-0	
MODEL	10S11	R134a
DISPLACEMENT	124.6cc	
CLUTCH	115mm / PV5	12V
OE REF.		
APPLICATION	ESCUDO 2.0L	
OIL	PAG	




TOYOTA	AA-0002-0-A	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	130 mm / PV7	12V
OE REF.		
APPLICATION	Highlander 2.4L '01-03, Camry 2.4L '02-04, Solara 2.4L '02-03, Harrier 2.4L	
OIL	PAG 46	





TOYOTA	AA-0010-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	PV6	12V
OE REF.		
APPLICATION	Highlander 3L '01-03, Camry 3L '02-04, Camry 3.3L '04, Solara 3L '00-02, Lexus ES300, RX300	
OIL	PAG 46	





TOYOTA	AA-0024-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	115 mm / PV6	12V
OE REF.		
APPLICATION	Estima, Previa, Alphard - 6 Cylinder	
OIL	PAG 46	





TOYOTA	AA-0025-0	
MODEL	10S17C	R134a
DISPLACEMENT	170 cc	
CLUTCH	120 mm / PV7	12V
OE REF.		
APPLICATION	Estima, Previa, Alphard - 4 Cylinder	
OIL	PAG 46	





TOYOTA	AA-0137-00	
MODEL	10PA20C	R134a
DISPLACEMENT	207 cc	
CLUTCH	120 mm / PV4	12V
OE REF.		
APPLICATION	CRESSIDA 1989, 1990, 1991, 1992	
OIL	PAG	





TOYOTA	AA-0083-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	140 mm / PV	12V
OE REF.		
APPLICATION	CELICA 1994, 1995, 1996, 1997	
OIL	PAG	





TOYOTA	AA-0086-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	135 mm / PV4	12V
OE REF.		
APPLICATION	COROLLA, PRIZM - 1993, 1994, 1995, 1996, 1997	
OIL	PAG	




TOYOTA	AA-0087-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	137 mm / A1	12V
OE REF.		
APPLICATION	PICKUP, 4RUNNER - 1989, 1990, 1991, 1992, 1993, 1994, 1995	
OIL	PAG	




TOYOTA	AA-0088-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	110 mm / PV4	12V
OE REF.		
APPLICATION	TACOMA 1995, 1996, 1997, 1998, 1999, 2000, 2001	
OIL	PAG	




TOYOTA	AA-0088-01	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	109 mm / PV4	12V
OE REF.		
APPLICATION	TACOMA 1995, 1996, 1997, 1998, 1999, 2000, 2001	
OIL	PAG	




TOYOTA	AA-0089-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	140 mm / A1	12V
OE REF.		
APPLICATION	HILUX	
OIL	PAG	




TOYOTA	AA-0090-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	140 mm / PV5	12V
OE REF.		
APPLICATION	CELICA 1990, 1991, 1992, 1993	
OIL	PAG	




TOYOTA	AA-0091-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	120 mm / PV4	12V
OE REF.		
APPLICATION	COROLLA 1989, 1990, 1991, 1992 PRIZM 1989	
OIL	PAG	




TOYOTA	AA-0092-00	
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH	150 mm / PV4	12V
OE REF.		
APPLICATION	COROLLA 1993, 1994, 1995, 1996, 1997 PRIZM 1993, 1994, 1995, 1996, 1997	
OIL	PAG	




TOYOTA	AA-0096-00	
MODEL	SP17	R134a
DISPLACEMENT	178 cc	
CLUTCH	143 mm / A1	12V
OE REF.		
APPLICATION	4RUNNER 94/95 3.0L 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995	
OIL	PAG	




TOYOTA AA-0114-00		
MODEL	10PA17C	R134a
DISPLACEMENT	188 cc	
CLUTCH	142 mm / A1	12V
OE REF.		
APPLICATION	4RUNNER 1996, 1997, 1998, 1999, 2000, 2001	
OIL	PAG	




TOYOTA AA-0116-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	124 mm / PV6	12V
OE REF.		
APPLICATION	TOWNCAR 1989, 1990 GRANDMARQUIS 1989, 1990, 1991 CROWN/VICTORIA 1989, 1990, 1991	
OIL	PAG	




TOYOTA AA-0117-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	130 mm / PV7	12V
OE REF.		
APPLICATION	CRESSIDA 1987, 1988 MPV 1989, 1990, 1991, 1992, 1993, 1994 SUPRA 1986, 1987, 1988, 1989, 1990, 1991, 1992	
OIL	PAG	




TOYOTA AA-0124-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	120 mm / PV4	12V
OE REF.		
APPLICATION	4RUNNER 1996, 1997, 1998, 1999, 2000	
OIL	PAG	




TOYOTA AA-0127-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	134 mm / PV4	12V
OE REF.		
APPLICATION	ECLIPSE 1990, 1991, 1992, 1993, 1994 COLT 1992, 1993, 1994	
OIL	PAG	




TOYOTA	AA-0076-00	
MODEL	SCSA60C	R134a
DISPLACEMENT	60 cc	
CLUTCH	110 mm / PV4	12V
OE REF.		
APPLICATION	TOYOTA COROLLA / YARIS (01-) (UNIVERSAL TYPE)	
OIL	PAG 100	




TOYOTA	AA-0078-00	
MODEL	SC06	R134a
DISPLACEMENT	60 cc	
CLUTCH	110 mm / PV4	12V
OE REF.		
APPLICATION	TOYOTA ECHO ALL (00-02)	
OIL	PAG 100	




TOYOTA	AA-0093-00	
MODEL	SC06	R134a
DISPLACEMENT	60 cc	
CLUTCH	110 mm / PV4	12V
OE REF.		
APPLICATION	TOYOTA COROLLA / YARIS 1.4D-4D (01-) WITH SENSER	
OIL	PAG 100	




TOYOTA	AA-0093-01	
MODEL	SC06	R134a
DISPLACEMENT	60 cc	
CLUTCH	88 mm / PV6	12V
OE REF.		
APPLICATION	TOYOTA COROLLA / YARIS 1.4D-4D (01-) WITH SENSER	
OIL	PAG 100	




UNIVERSAL	AA-0029-0	
MODEL	TM21	R134a
DISPLACEMENT	200 cc	
CLUTCH	119.8 mm / A2	12V
OE REF.		
APPLICATION	Universal replacement for TM21 compressor	
OIL	PAG 46	




UNIVERSAL	AA-0030-0	
MODEL	TM21	R134a
DISPLACEMENT	200 cc	
CLUTCH	119.8 mm / A2	24V
OE REF.		
APPLICATION	Universal replacement for TM21 compressor	
OIL	PAG 46	




UNIVERSAL	AA-0031-0	
MODEL	TM21	R134a
DISPLACEMENT	200 cc	
CLUTCH	137 mm / PV8	12V
OE REF.		
APPLICATION	Universal replacement for TM21 compressor	
OIL	PAG 46	




UNIVERSAL	AA-0032-0	
MODEL	TM21	R134a
DISPLACEMENT	200 cc	
CLUTCH	127 mm / PV8	12V
OE REF.		
APPLICATION	Universal replacement for TM21 compressor	
OIL	PAG 46	





UNIVERSAL	AA-0033-0	
MODEL	TM21	R134a
DISPLACEMENT	200 cc	
CLUTCH	137 mm / PV8	24V
OE REF.		
APPLICATION	Universal replacement for TM21 compressor	
OIL	PAG 46	



UNIVERSAL	AA-0052-00	
MODEL	Vane	R134a
DISPLACEMENT	72 cc	
CLUTCH	118 mm / A1	12V
OE REF.		
APPLICATION	Universal replacement for vane compressor	



UNIVERSAL	AA-0053-00	
MODEL	Vane	R134a
DISPLACEMENT	83 cc	
CLUTCH	110 mm / PV4	12V
OE REF.		
APPLICATION	Universal replacement for vane compressor	




UNIVERSAL	AA-0053-01	
MODEL	Vane	R134a
DISPLACEMENT	83 cc	
CLUTCH	110 mm / PV6	12V
	* with Spade Terminal	
OE REF.		
APPLICATION	Universal replacement for vane compressor	


PICTURE
UNAVAILABLE

PICTURE
UNAVAILABLE


UNIVERSAL	AA-0053-02	
MODEL	Vane	R134a
DISPLACEMENT	83 cc	
CLUTCH	110 mm / PV4	12V
	* with Spade Terminal	
OE REF.		
APPLICATION	Universal replacement for vane compressor	




UNIVERSAL	AA-0021-0	
MODEL	UX200	R134a
DISPLACEMENT	200 cc	
CLUTCH	133.2 mm / PV8	12V
OE REF.		
APPLICATION	Universal replacement for UX200 compressor	
OIL	PAG 46	




UNIVERSAL AA-0004-0		
MODEL	10S11	R134a
DISPLACEMENT	124.6 cc	
CLUTCH	105 mm / PV3	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10S11	
OIL	PAG	




UNIVERSAL AA-0018-0		
MODEL	10PA15C	R134a
DISPLACEMENT	155.3 cc	
CLUTCH		
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA15C W/O CLUTCH	
OIL	PAG46	



UNIVERSAL AA-0019-0		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH	125 mm / PV5	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA17C W/O CLUTCH	
OIL	PAG	



UNIVERSAL AA-0035-0		
MODEL	FS10D	R134a
DISPLACEMENT	170 cc	
CLUTCH	142.6 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	



UNIVERSAL AA-0036-0		
MODEL	FS10D	R134a
DISPLACEMENT	170 cc	
CLUTCH	113 mm / PV7	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	











UNIVERSAL	AA-0037-0	
MODEL	FS10D	R134a
DISPLACEMENT	107 cc	
CLUTCH	117 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	


UNIVERSAL	AA-0038-0	
MODEL	FS10D	R134a
DISPLACEMENT	154 cc	
CLUTCH	117 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	

UNIVERSAL	AA-0039-0	
MODEL	FS10D	R134a
DISPLACEMENT	170 cc	
CLUTCH	131.5 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	


UNIVERSAL	AA-0040-0	
MODEL	FS10D	R134a
DISPLACEMENT	170 cc	
CLUTCH	131.5 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	

UNIVERSAL	AA-0041-0	
MODEL	FS10D	R134a
DISPLACEMENT	170 cc	
CLUTCH	131.5 mm / PV6	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR FS10D	
OIL	PAG	




**UNIVERSAL AA-0055-00**


MODEL	10PA30C	R134a
DISPLACEMENT	300.2 cc	
CLUTCH	152 mm / PV8	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA30C	
OIL	PAG	

**UNIVERSAL AA-0056-00**


MODEL	10PA20C	R134a
DISPLACEMENT	207 cc	
CLUTCH	142 mm / A	24V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA20	
OIL	PAG	

**UNIVERSAL AA-0057-00**






MODEL	10PA20C	R134a
DISPLACEMENT	207 cc	
CLUTCH	146 mm / PV5	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA20	
OIL	PAG	

**UNIVERSAL AA-0058-00**

MODEL	10PA20C	R134a
DISPLACEMENT	207.4 cc	
CLUTCH	142 mm / B1	24V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA20	
OIL	PAG	

**UNIVERSAL AA-0059-00**

MODEL	10PA20C	R134a
DISPLACEMENT	207 cc	
CLUTCH	142 mm / A	12V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA20	
OIL	PAG	




UNIVERSAL AA-0060-00		
MODEL	10PA20C	R134a
DISPLACEMENT	207 cc	
CLUTCH	145 mm / B1	24V
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA20	
OIL	PAG	

UNIVERSAL AA-0061-00		
MODEL	10PA17C	R134a
DISPLACEMENT	178 cc	
CLUTCH		
OE REF.		
APPLICATION	UNIVERSAL REPLACEMENT FOR 10PA17C(WIDE MOUNT) WITHOUT CLUTCH	
OIL	PAG	


UNIVERSAL AA-0062-00		
MODEL	10S15C	R134a
DISPLACEMENT	167.3 cc	
CLUTCH	140 mm / A1	12V
OE REF.		
APPLICATION	10BX15	
OIL	PAG	

UNIVERSAL AA-0063-00		
MODEL	10S15C	R134a
DISPLACEMENT	167.3 cc	
CLUTCH	120 mm / PV6	12V
OE REF.		
APPLICATION	10BX15	
OIL	PAG	

UNIVERSAL AA-0064-00		
MODEL	10S15C	R134a
DISPLACEMENT	167.3 cc	
CLUTCH	115 mm / PV5	12V
OE REF.		
APPLICATION	10BX15	
OIL	PAG	

A
A
COMPRESSORB
A
CONDENSERC
A
EVAPORATORD
A
RECEIVER DRIERE
A
EXPANSION VALVEF
A
CABIN FILTERG
A
MOTORH
A
HOSESI
A
THERMOSTATJ
A
BLOWERK
A
AC / DC FANL
A
REFRIGERANT GASM
A
FITTINGN
A
FERRULEO
A
ACCESSORIES

VOLKSWAGEN AA-0013-0		
MODEL	7SBU16C	R134a
DISPLACEMENT	160 cc	
CLUTCH	125 mm / PV4	12V
OE REF.		
APPLICATION	Volkswagen Passat: V1.6 / 1.8 / 1.9 TD	
OIL	PAG 46	



VOLKSWAGEN AA-0045-00		
MODEL	7SBU16C	R134a
DISPLACEMENT	160 cc	
CLUTCH	121.4 mm / PV4	12V
OE REF.		
APPLICATION	Volkswagen Passat	
OIL	PAG 46	